Figure 1



Figure 2



Figure 3



Figure 4


G
T
C
A
G
Fok I/Fsp I
Primer R1
G
C
Loop
G
A
CTTGCCCCCAGAATGGAGGA GGTGTCTG
.....CACCGCTTGCCCCCAGAATGGAGGAGGGTGTCTGTATTACTGGGCGAGGT.....
.....GTGGCGAACGGGGGTCTTACCTCCTCCCACAGACATAATGACCCGCTCCA.....
Target Sequence
Polymorphic nucleotide
Deleted base
PCR amplify
Fok I/Fsp I
CTTGCCCCCAGAATGGAGGAGGATGCGCAGGTGTCTGTATTACTGGGCGAGGT.....
GAACGGGGGTCTTACCTCCTCCTACGGCGTCCACAGACATAATGACCCGCTCCA.....
Digest with Fok I and Fsp I
8 mer
CTTGCCCCCAGAATGGAGGAGGATGC GCAGGTGT CTGTATTACTGGGCGAGGT.....
GAACGGGGGTCTTACCTCCTCCTACG CGTCCACAGACA TAATGACCCGCTCCA.....
12 mer

Figure 5



Figure 6



Figure 7


Fok I/Fsp I
CTTGCCCCCAGAATGGAGGAGGATGCGCAGGTGTCTGTATTACTGGGCGAGGT.....
GAACGGGGGTCTTACCTCCTCCTACGCGTCCACAGACATAATGACCCGCTCCA.....
Remove nucleotides and digest with Fok I
CTTGCCCCCAGAATGGAGGAGGATGCGCAGGTGT
GAACGGGGGTCTTACCTCCTCCTACGCGTCCACAGACA
Fill in with mass Modified nucleotide
CTTGCCCCCAGAATGGAGGAGGATGCGCAGGTGTCTGTmod
GAACGGGGGTCTTACCTCCTCCTACGCGTCCACAGACA

Figure 8



Figure 9


C G
T G
G A
A T
G G
N.BstNB I/Fok I
Loop
Primer R
CTTGCCCCCAGAATGGAGGA GGTGTCTG
.....CACCGCTTGCCCCCAGAATGGAGGAGGGTGTCTGTATTACTGGGCGAGGT.....
.....GTGGCGAACGGGGGTCTTACCTCCTCCCACAGACATAATGACCCGCTCCA.....
Target Sequence
Polymorphic nucleotide
Deleted base
PCR amplify
N.BstNB I/Fok I
CTTGCCCCCAGAATGGAGGAGAGTCGGATGGGTGTCTGTATTACTGGGCGAGGT.....
GAACGGGGGTCTTACCTCCTCTCAGCCTACCCACAGACATAATGACCCGCTCCA.....
Digest with Fok I and N.BstNB I
10 mer
CTTGCCCCCAGAATGGAGGAGAGTCGGAT GGGTGTCTGT ATTACTGGGCGAGGT.....
GAACGGGGGTCTTACCTCCTCTCAGCCTACCCACAGACATAAT GACCCGCTCCA.....

Figure 10


A
G G G T
Primer
Fok I Loop
CTTGCCCCCAGAATGGAGGA GrGTGTCTG
.....CACCGCTTGCCCCCAGAATGGAGGAGG-GTGTCTGTATTACTGGGCGAGGT.....
.....GTGGCGAACGGGGGTCTTACCTCCTCC-CACAGACATAATGACCCGCTCCA.....
Target Sequence
Polymorphic nucleotide
Deleted base
PCR amplify
Fok I
ribonucleotide
CTTGCCCCCAGAATGGAGGAGGATGGrGTGTCTGTATTACTGGGCGAGGT.....
GAACGGGGGTCTTACCTCCTCCTACC-CACAGACATAATGACCCGCTCCA.....
Digest with Fok I and cleave with base
7 mer
CTTGCCCCCAGAATGGAGGAGGATGGrG TGTCTGT ATTACTGGGCGAGGT.....
GAACGGGGGTCTTACCTCCTCCTACC-CACAGACATAAT GACCCGCTCCA.....

Figure 11. Methods for haplotyping based on physical allele separation



Figure 12. Methods for haplotyping based on allele specific amplification



* "Nucleic acid" refers to all structures that participate in Watson Crick base pairing

Figure 13. Methods for haplotyping based on allele specific restriction



Figure 14: Hairpin PCR Primers



Figure 15: Hairpin PCR Primers



Figure 16: Hairpin PCR Primers



Figure 17: Hairpin PCR Primers



Figure 18



Figure 19



Figure 20


Digest with exonuclease
Add single strand nuclease to remove/degrade remaining single strand
BamH I
BamH I
BamH I
Nhe I
BamH I

Figure 21. Dihydropyrimidine dehydrogenase (DPD) polymorphisms used in haplotyping assay.

DPD polymorphisms

Base	Nucleotide	Amino Acid
186	T →	Cys
	C →	Arg
597	A →	Met
	G →	Val



Figure 22. Allele Specific Primers for DPD

A.

DPD Primers	DPDASCF	5' acacagactcatgcaactctg 3'
	DPDASTF	5' acgcagactcatgcaactctg 3'
	DPDNSF	5' actcatgcaactctg 3'

B.

DPD Sequence

5' actcatgcaactctg[T or C]gttccacttcggccaagaa 3'

3' tgagtacgttgagac[A or G]caaggtgaagccggttctt 5'

Figure 23. PCR Amplification Using DPDNSF Primer



Figure 24. PCR Amplification Using DPDASTF Primer.



Figure 25. PCR Amplification Using DPDASCF Primer



Figure 26. Hairpin Structures for PCR Products Generated Using DPDNSF Primer



Figure 27. Hairpin Structures for PCR Products Generated Using DPDASCF Primer



Figure 28. Hairpin Structures for PCR Products Generated Using DPDASTF Primer



Figure 29. Non-Allele Specific Amplification Using DPDNSF Primer.



Figure 30. Allele Specific Amplification Using DPDASCF Primer



Figure 31. Allele Specific Amplification Using DPDASTF Primer



Figure 32. Allele Specific Amplification of a Heterozygous Sample with Haplotype T^{186},A^{597} and C^{186},G^{597}



Figure 33. BsrD I Digest of Allele Specific PCR Products.



Figure 34


G
T
C
Fok I/Fsp I
A
G
Loop
ApoE21250-LR
G
C
G
A
CCCGGCTGGGCGCGGACATG AGGACGTG
GCAGGCCCGGCTGGGCGCGGACATGGAGGACGTGTGCGGCCGCCTGGTGCAGTACCGC
CGTCCGGGCCGACCCGCGCCTGTACCTCCTGCACACGCCGGCGGACCACGTCATGGCG
Target Sequence
GGCGAGGTGCAGGCCATGCTCGGCCAGAGCACCGAGGAGCTGCGGGTGCGCCTCGCCT
CCGCTCCACGTCCGGTACGAGCCGGTCTCGTGGCTCCTCGACGCCCACGCGGAGCGGA
Target Sequence
CCACCTGCGCAAGCTGCGTAAGCGGCTCCTCCGCGATGCCGATGACCTGCAGAAGC
GGTGGACGCGTTCGACGCATTCGCCGAGGAGGCGCTACGGCTACTGGACGTCTTCG
GGCTACTGGACGTCTTCG
ApoE21250-LR

Figure 35

T Allele Amplicon

CCCGGCTGGGCGCGGACATGGGATGCGCAAGGACGTG*T*GCGGCCGCCTGGTGCAGTAC
GGGCCGACCCGCGCCTGTACCCTACGCGTTCCTGCAC*A*CGCCGGCGGACCACGTCATG

CGCGGCGAGGTGCAGGCCATGCTCGGCCAGAGCACCGAGGAGCTGCGGGTGCGCCTCG
GCGCCGCTCCACGTCCGGTACGAGCCGGTCTCGTGGCTCCTCGACGCCCACGCGGAGC

CCTCCACCTGCGCAAGCTGCGTAAGCGGCTCCTCCGCGATGCCGATGACCTGCAGAAGC
GGAGGTGGACGCGTTCGACGCATTCGCCGAGGAGGCGCTACGGCTACTGGACGTCTTCG

C Allele Amplicon

CCCGGCTGGGCGCGGACATGGGATGCGCAAGGACGTG*C*GCGGCCGCCTGGTGCAGTAC
GGGCCGACCCGCGCCTGTACCCTACGCGTTCCTGCAC*G*CGCCGGCGGACCACGTCATG

CGCGGCGAGGTGCAGGCCATGCTCGGCCAGAGCACCGAGGAGCTGCGGGTGCGCCTCG
GCGCCGCTCCACGTCCGGTACGAGCCGGTCTCGTGGCTCCTCGACGCCCACGCGGAGC

CCTCCACCTGCGCAAGCTGCGTAAGCGGCTCCTCCGCGATGCCGATGACCTGCAGAAGC
GGAGGTGGACGCGTTCGACGCATTCGCCGAGGAGGCGCTACGGCTACTGGACGTCTTCG